

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
10 May 2001 (10.05.2001)

PCT

(10) International Publication Number
WO 01/32068 A2

- (51) International Patent Classification⁷: **A61B**
- (21) International Application Number: **PCT/US00/29739**
- (22) International Filing Date: **27 October 2000 (27.10.2000)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
60/162,590 29 October 1999 (29.10.1999) **US**
- (71) Applicants and
(72) Inventors: **U, Hoi, Sang [US/US]; P.O. Box 1003, Rancho Santa Fe, CA 92067 (US). AMIS, James, Peter [US/US]; 6740 Top Gun Street, San Diego, CA 92121 (US).**
- (74) Agent: **MULLINS, Kenton, R.; Stout, Uxa, Buyan & Mullins LLP, Suite 300, 4 Venture, Irvine, CA 92618 (US).**
- (81) Designated States (*national*): **AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.**
- (84) Designated States (*regional*): **ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).**
- Published:
— *Without international search report and to be republished upon receipt of that report.*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: **TIME-RELEASED SUBSTANCE DELIVERY DEVICE**



(57) Abstract: An implantable, time-released substance delivery device includes a casing having an exterior surface, and a number of pores disposed on the exterior surface of the casing. The time-released substance delivery device further has an interior chamber disposed within the casing, and a number of excretion tubes disposed within the casing. Each of the excretion tubes fluidly connects the interior chamber to one of the pores.

WO 01/32068 A2

TIME-RELEASED SUBSTANCE DELIVERY DEVICE

5 This application claims the benefit of U.S. Provisional Application No. 60/162,590, filed October 29, 1999 and entitled TIME-RELEASED SUBSTANCE DELIVERY DEVICE, the contents of which are expressly incorporated herein by reference.

10 BACKGROUND OF THE INVENTION

1. Field of the Invention

 The present invention relates generally to medical implants and, more particularly, to medical implants for providing a time-released delivery of drugs.

15 2. Description of Related Art

 A medicinal substance can be administered to a patient systemically or locally. A systemically administered medicinal substance enters into the blood stream, travels throughout the body, and, hopefully, reaches the part of the patient's body in need of treatment at an effective dose before being degraded by metabolism and excreted. The
20 systemic administration of medicinal substances can be achieved by oral application (e.g., syrups, tablets, capsules and the like), needle injection, transdermal delivery (e.g., a medicinal substance incorporated into a skin patch), and subdermal delivery (e.g., a medicinal substance formulation in a metabolizable matrix placed beneath the skin to release, for example, nicotine or birth control drugs). Systemically delivered medicinal

substances can be inefficient, when only a small amount of the administered dose reaches its site of therapeutic action. Moreover, with systemic delivery a medicinal substance can enter parts of the body where it can actually do harm or produce a noxious side effect.

5 Medicinal substances can be delivered locally by injection (e.g., injection of anesthetic into a patient's gums) or topically (e.g., creams, ointments, and sprays). Although the local delivery of medicinal substances can in some instances overcome the problems of dilution and migration, local medicinal substance delivery can be difficult in certain cases, leaving systemic administration as the viable alternative. Even
10 when local delivery of medicinal substances to a target site is possible, an important consideration still remains of maximizing the therapeutic effectiveness of the local drug delivery by controlling the proper dose and duration of the local delivery of the medicinal substance.

15

SUMMARY OF THE INVENTION

In order to maximize the therapeutic effectiveness of a medicinal substance at a target site within an organism, which is preferably a human patient, the delivered substance must be applied to the target site in the proper dose amount and for the proper
20 duration. As used herein, a dose is defined as an amount of substance delivered per time, and a duration is defined as a period of time from an initial dose to a final dose. The present invention relates to improved apparatuses, systems and methods for achieving delivery of substances in specified doses and durations to target sites. In particular, a device having a casing with medicinal substances stored in an interior
25 chamber, which is open to the exterior surface via excretion tubes, is disclosed.

Modifications are possible for achieving specific doses and durations of substance delivery to maximize the therapeutic effectiveness of the substance.

The present invention, together with additional features and advantages thereof, may best be understood by reference to the following description taken in connection
5 with the accompanying illustrative drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1A illustrates a time-released substance delivery device formed in the shape of a plate or panel, in accordance with an embodiment of the present invention;

10 Figure 1B illustrates a time-released substance delivery device formed in the shape of a block, in accordance with an embodiment of the present invention;

Figure 1C illustrates a time-released substance delivery device formed in the shape of a cylinder, in accordance with another embodiment of the present invention;

15 Figure 1D illustrates a time-released substance delivery device formed in the shape of a screw, in accordance with yet another embodiment of the present invention;

Figure 2 illustrates a time-released substance delivery device having an access tube that feeds into an internal chamber of the substance delivery device, in accordance with an embodiment of the present invention; and

20 Figure 3 illustrates a time-released substance delivery device having a perforable membrane and an access tube fluidly connected to an internal chamber of the substance delivery device, in accordance with another embodiment of the present invention.

DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENTS

Referring more particularly to the drawings, Figure 1A illustrates a time-released substance delivery device 9a, which in accordance with the present invention is implanted at or near a target area to be treated. The substance delivery device 9a comprises a casing 10a and a plurality of pores 13a. In the illustrated embodiment, the shape of the device is defined by the casing 10a. Once implanted, the substance delivery device 9a delivers medicinal substances X to the target site by releasing through the pores 13a the medicinal substances X contained within the substance delivery device 9a in the dose and duration specified. A substance delivery device 9b defined by a block-shaped casing 10b having pores 13b is shown in Figure 1B, and a substance delivery device 9c defined by a cylinder-shaped casing 10c having pores 13c is shown in Figure 1C. The substance delivery devices of Figures 1A, 1B and 1C can be inserted into or secured to an organ or a deep tissue for local treatment, or can be implanted under a derma, for example, for systemic treatment.

In accordance with the present invention, the casings forming the substance delivery devices of the present invention may comprise structures for insertion and implantation into or on organs or tissue, such as in Figures 1A, 1B and 1C or, alternatively, may comprise structural or physically functional shapes. For example, the casing may be formed into a plate, mesh, or other fixation, holding, or containment member. In the case of a bone plate or mesh, for example, the substance delivery device can be formed with screw or tack apertures disposed therein. As is known in the art, screw or tack apertures are typically formed in bone plates and meshes to accommodate screws or tacks for securing the bone plate or mesh to bone. Alternatively, the screw or tack apertures may be drilled into the substance delivery device just prior to or during implantation of the substance delivery device.

The shape of the plate, mesh, or other fixation, holding, or containment member may comprise any conventional shape for a such a plate or mesh, with the improvement being the addition of pores and an optional chamber 11 (Figure 2), in accordance with the present invention. The plate, mesh, or other fixation, holding, repairing, or
5 containment member may be constructed for implantation on or in connection with, for example, muscle, cartilage, tendons, ligaments, connective tissues, blood vessels, bone, and other tissue and organ sites. In the case of a bone plate or mesh, for example, the bone plate or mesh may be formed to have slightly larger dimensions to maintain adequate fixation properties, especially, for example, if the bone plate or mesh is
10 formed of a relatively soft plastic or absorbable material.

In the example of a bone plate or mesh, the bone plate or mesh may be placed over a defective bone area to provide mechanical, reconstructive, protective and/or fixation functions, while simultaneously releasing medicinal substances X to facilitate the bone healing process. The medicinal substances X may comprise, in this example,
15 chemotactic substances for influencing cell-migration, inhibitory substances for influencing cell-migration, mitogenic growth factors for influencing cell proliferation, growth factors for influencing cell differentiation (e.g. insulin-like growth factor, transforming growth factor-beta, fibroblast growth factor, platelet-derived growth factor), and factors for promoting neoangiogenesis (formation of new blood vessels).

20 A substance delivery device 9d, having a screw-shaped casing 10d with pores 13d, is shown in Figure 1D. In the functional-casing embodiment of Figure 1D, the casing 10d can serve as both a fastener and a substance delivery device 9d. For example, the substance delivery device 9d may be constructed according to the principles set forth above, in connection with a substance delivery device formed into a

bone plate or mesh, and may be used to secure, for example, bone plates or meshes to bone. Although specific embodiments of functional casings in the form of bone plates, meshes, and screws have been discussed, other embodiments, which would allow for the casing to be functional, for example, are also contemplated to be within the scope of
5 the present invention. For example, substance delivery devices may be formed to operate, *inter alia*, as soft tissue tacks or spinal rods.

The casings may be constructed from non-biodegradable or biodegradable material. For biodegradable casings, a preferred embodiment comprises a biodegradable casing that degrades only after all of the medicinal substances X
10 therewithin have been depleted. Alternatively, other embodiments of the casing may partially or completely degrade before the depletion of the medicinal substances X contained therein, thereby achieving non-linear releases of the medicinal substances X.

In turn, the aforementioned casings may also be embedded in other implant devices, for example. These other implant devices can be biodegradable, so that when
15 they degrade, the time-released substance delivery devices are exposed to the target site to thereby achieve predetermined releases of the medicinal substances X beginning at a delayed point in time.

Referring now to Figures 2 and 3, in a preferred embodiment the substance delivery device 9 comprises a casing 10 and a chamber 11. The substance delivery
20 device 9 further comprises a set of excretion tubes 12 that fluidly connect the exterior surface of the casing 10 to the interior chamber 11, resulting in a set of pores 13 and a set of interior open ends 21, respectively. Preferably, at least one side or portion of the casing 10 comprises a perforable membrane 15, as shown in Figure 3, so that a needle 17 and syringe 16 can be used to fill the substance delivery device 9 with, for example,

medicinal substances X. In accordance with the present invention, the needle 17 can be used to fill the chamber 11 before and/or after implantation of the substance delivery device into tissue. For example, the chamber 11 may be filled with a medicinal substance X before implantation and, subsequently, refilled to maintain an ongoing,
5 controlled delivery of the medicinal substance X and/or other substances to the target site.

Operationally, doses and durations are functions of the sizes, shapes and number of excretion tubes 12 and the concentration of medicinal substance X in the chamber 11. For example, if a low dose is desired, a substance delivery device 9 with narrow
10 excretion tubes 12 can be selected to physically limit the diffusion rate of the medicinal substance X from the interior chamber 11 to the exterior pores 13. Since fewer molecules of medicinal substance X per time reach the exterior pore 13 under this condition, lower amounts of medicinal substance X are delivered to the targeted site per time, resulting in lower dosage delivery. Furthermore, the number of individual
15 excretion tubes 12 in the substance delivery device 9 can directly affect the dosage delivery. For example, a fewer number of excretion tubes 12 effectively decreases the number of channels available for the outward diffusion of the medicinal substance X contained in the chamber 11, thereby decreasing the dosage to the target site. Also, the concentration of the medicinal substance X in the chamber 11 contributes to the dose.
20 For example, low concentrations of medicinal substance X in the chamber 11 results in low gradient pressure, which in turn results in fewer molecules diffusing from inside the chamber 11 to the exterior pores 13 per time, which ultimately results in a lower dosage delivery.

The duration of delivery is also a function of the size and number of the

excretion tubes 12 and the concentration of medicinal substance X in the chamber 11.

For example, smaller excretion tubes 12 decrease the amount of medicinal substance X released per time. Because the medicinal substance X is released slowly, it takes longer to deplete the medicinal substance X in the chamber 11, and therefore, the duration of
5 the medicinal substance X release is increased. For the same reason, if there is a high amount of medicinal substance X in the chamber 11 initially, the duration can be increased.

By applying conventional kinetic models and calculations, the resultant effect of size, shape, number and distribution of excretion tubes 12 and amount of substance X
10 in the chamber 11 on dose and duration can be tabulated. Therefore, a system of the present invention may preferably comprise a lookup table, one or more medicinal substances X, a needle capped syringe 16 and 17, and a substance delivery device 9.

In practice, a method for using the substance delivery device 9 involving the following steps may be employed by a physician. First, the physician diagnoses and
15 determines the appropriate dose and duration for treatment of a certain medical condition. The physician may then use the lookup table to select the substance delivery device 9 with the appropriate number and size of excretion tubes 12 and the amount of medicinal substance X needed in the chamber 11. Subsequently, the physician can use a syringe 16 and 17 to inject the appropriate medicinal substance X into the chamber
20 11. After the chamber 11 is loaded, the physician may surgically implant the substance delivery device 9 into the patient.

After the medicinal substance X is partially or fully depleted from the chamber 11, the physician may return to the location and surgically retrieve the substance delivery device 9. Alternatively, if the substance delivery device 9 is constructed from

a biodegradable material, it can be left in the patient's body. If desired, the surgeon may refill the substance delivery device 9 using, for example, a needle while the substance delivery device 9 remains in the patient, as shown in Figure 3. This *in situ* refill procedure may be accomplished by, for example, reopening the surgical site, using visual or tactile verification of the location of the substance delivery device, or implementing an imaging technique to ensure that the refill needle finds its way into the chamber 11.

In accordance with one embodiment, extended excretion tube lengths are provided in connection with one or more of the excretion tubes 12. Each increased tube length delays the time of excretion of medicinal substance X out of the pore from the time at which the medicinal substance X is placed into the chamber 11. Consequently, the medicinal substance X can be delayed from being released until after the substance delivery device 9 is implanted into the patient, with the delay time being a function of the length and cross-sectional area of the excretion tube, (wherein the excretion tube or passage does not necessarily have a circular cross-sectional area). Moreover, partial barriers and/or flow restrictions, enhancers, channelers or directors may be formed and placed within at least a portion of one or more of the excretion tubes 12. The substance delivery device 9 with such a delay mechanism, for example, may be used when it is medically indicated that the medicinal substance X should be released at sometime after the time-released substance delivery device 9 is implanted. Furthermore, an alternative system may comprise a substance delivery device 9 with such a delay mechanism and a substance delivery device 9 (or a set of substance delivery devices) that release medicinal substance X immediately or shortly after implantation. Such a system when used can produce certain dosage and duration combinations, such as those specifying

immediate and/or delayed releases.

Another embodiment in accordance with the present invention includes an access tube 14 that feeds directly into the chamber 11. A purpose of this access tube 14 is to allow access into the chamber 11, for example, once the substance delivery device 9 has been implanted. In accordance with one preferred embodiment, the access tube 14 comprises a perforable membrane, disposed at or near its end 14a, and suitable for being pierced by a needle for delivery of fluids therethrough and into the chamber 11.

The substance delivery device 9 may be constructed with a needle 17 access (e.g., a perforable membrane 15) to the chamber 11 and/or with an access tube 14 fluidly connected to the chamber 11. The chamber 11 may initially be filled with a saline solution and/or other biocompatible fluid (e.g., a medicinal substance X such as an anesthetic) wherein the user (using, for example, a needle) can introduce a fluid through a needle 17 access (e.g., a perforable membrane 15) and/or through the access tube 14 and into the chamber 11 to thereby displace (and/or expedite excretion of), and/or dilute or modify, the biocompatible fluid in the chamber 11. In modified embodiments the perforable membrane of the access tube 14 may comprise a locking-type connector for receiving a corresponding external substance-introducing tube with a matching or mating connector.

When the substance delivery device 9 is implanted, the end 14a of the access tube 14 may be positioned to extend out of the dermis for subsequent access. In a modified embodiment, the end 14a of the access tube 14 may extend below the dermis of the patient so that the skin is breached only when the user desires to introduce external fluids (e.g., medicinal substances X) into the access tube 14. If, for example, the end 14a is just below the dermis, the surgeon can visually or tactilely locate the end

14a beneath the patient's dermis. For example, the substance delivery device 9 may be implanted deep within an organ with the access tube extending out of the organ and terminating just beneath the patient's dermis.

For a chemotherapy treatment, for example, a biodegradable substance delivery
5 device 9 may be implanted within tissue or an organ, such as the brain, with the access tube extending through the skull and terminating just beneath the patient's dermis.

Imaging techniques, such as Magnetic Resonance Imaging (MRI) can be used to accurately implant the substance delivery device 9 in close proximity to or within a target site such as a tumor. In accordance with a preferred embodiment, the substance
10 delivery device will comprise a biodegradable (e.g., a resorbable polymer based material) or non-scatterable material for this operation. Once the access device has been implanted, the surgeon can then access the chamber 11 using an a needle 17/perforable membrane 15 and, (optionally, using the above-referenced imaging techniques) and/or an access tube 14, to introduce, for example, chemotherapy medicinal substances X to
15 the tumor location or target site.

One reason for accessing the chamber 11 is to replenish the chamber 11 with more of the same medicinal substance X or other medicinal substances X during the course of treatment. In a modified embodiment, the surgeon can access the chamber 11 to remove medicinal substances X from the chamber with suction. In yet another
20 modified embodiment, the surgeon can apply suction to the access tube 14 and/or to a needle 17/perforable membrane 15, to draw body fluids from the extracellular space 22 through the excretion tubes 12 and into the chamber 11 and, subsequently, out of the chamber 11 through either the needle 17/perforable membrane 15 and/or the access tube 14.

Another reason for accessing the chamber 11 *in situ* is to introduce reagent that would activate or deactivate one or more medicinal substances X already contained in the chamber 11. The access tube 14 and/or needle 17/perforable membrane 15 can allow for a higher degree of flexibility during the course of treatment. Furthermore, 5 another system in accordance with the present invention may comprise a substance delivery device 9 and a plurality of medicinal substances X. With the flexibility of introducing a different medicinal substance X to the target area once the substance delivery device 9 is implanted, the system may be employed to treat medical conditions requiring a series of different medicinal substances X over a course of time. Two or 10 more chambers 11 may be formed in a single substance delivery device 9, with one or more of the chambers being engineered to provide a different dose and duration. For example, a second chamber may be provided with fewer excretion tubes connected thereto and/or different types of medicinal substances and/or carriers 18 (discussed, *infra*) disposed therein.

15 Yet another embodiment of the present invention includes placement of medicinal substances X contained within a carrier 18 within the chamber 11. A carrier comprises a protective exterior coating and an interior empty volume for storage of one or more medicinal substances X, for example. One or more of these carriers 18 may be constructed larger than one or more of the interior open ends 21 for attenuated or 20 impeded excretion. Thus, in accordance with this embodiment, the medicinal substance X contained therein may only be released upon the degeneration of the carriers 18. In a modified embodiment, carriers, which are larger than some or all of the excretion tubes 12, can be placed within the chamber 11 of an absorbable substance delivery device, in order to attenuate or impede excretion thereof. One effect of these arrangements is to

enable a delayed release of medicinal substance X once the substance delivery device 9 is implanted.

Alternatively, the carriers 18 may be constructed sufficiently small so as to enter into the excretion tube 12 and diffuse out of the pores 13 into the extracellular space 22.

5 Once in the extracellular space 22, the carriers 18 may further diffuse away from the substance delivery device 9. One use of this small size carrier is that it can carry (and protect) the medicinal substance X during the diffusion away from the substance delivery device 9 and allow for the medicinal substance X to be effective at some distance away from the substance delivery device 9.

10 One preferred embodiment of the current invention comprises pores 13 on all sides of the casing 10. This construction allows for a relatively isotropic dispersion of medicinal substance X by the substance delivery device 9. However, an alternative embodiment may restrict the pore surface, for example, to only one side of the casing 10. With the pores 13 present on only one side, it is possible to limit the diffusion of
15 the medicinal substance X to a particular tissue surface at the implant location for focused local delivery of the medicinal substance X.

In terms of manufacturing the substance delivery device 9, it is preferable in accordance with one aspect of the present invention that the chamber 11 remain empty prior to use. It is only at the time of use, or shortly prior thereto, that the medicinal
20 substance X is injected into the chamber 11. However, in an alternative embodiment, the substance delivery device 9 may be filled or impregnated with certain medicinal substances X during the manufacturing process. For example, in accordance with one embodiment of the present invention, part or all of the material of the substance delivery device is impregnated or partially formed with a medicinal substance X, with

the existence of the chamber 11 being optional. The substance delivery device 9 may be formed of a material that degrades over time after implantation so that degradation of all or part of the substance delivery device 9 results in the release of the medicinal substance X. The pores 13 in accordance with this embodiment provide additional
5 surface area for such degradation and consequential delivery of the medicinal substance X.

While the foregoing preferred embodiments of the invention have been described, various alternatives, modifications, and equivalents other than the ones already discussed may be used. For example, a substance delivery device 9 may have a
10 set of short and large excretion tubes 12 for immediate release of substance A after the implantation of the substance delivery device 9. Concurrently, the substance delivery device 9 may also have substance B contained in large carriers 18 located in the chamber 11. Because of their sizes, as discussed above, these carriers 18 remain trapped in the chamber 11 for a period of time and are subsequently released upon
15 degradation. The overall effect of this particular substance delivery device 9 is that it is able to release substance A shortly after implantation and delay the release of substance B. Along this line of construction of the apparatus and/or systems, it is possible to engineer an apparatus and/or substance delivery device 9 that is tailored to the treatment specifications of various medical conditions. For example, a device can be
20 engineered to release 25% of the chamber 11 contents within three months of implantation, 50% within the first year, and the remaining contents within the next two years.

As used herein the term "medicinal substance" includes, but is not limited to, analgesics, local anesthetics, antibiotics, steroids, anti-tumor agents, hormones, and

hormone-like agents. Examples of antibiotics useful with the present invention include, but are not limited to: ampicillin, chloramphenicol, chlortetracycline, clindamycin, erythromycin, gramicidin, gentamicin, mupirocin, neomycin, polymyxin B, bacitracin, silver sulfadiazine, tetracycline and chlortetracycline. Those of ordinary skill in the art will appreciate that there are other appropriate topical antibiotics, such as those listed in U.S.P.D., which may also be used in the present invention. Examples of hormones and other related drugs useful with the present invention include, but are not limited to: human growth hormone (HGH), bone morphogenetic proteins (BMPs) (C. F. Paatsama, S., et al.) transforming growth factors (TGF-.beta.s), interferons, interleukins, calcitonin, estrogen and 17-.beta. estradiols. Examples of anti-inflammatory drugs include, but are not limited to: cortisone, Nonsteroidal Anti-inflammatory Drugs (NSAIDs), and interleukin 3 inhibitors. Many of the antitumor drugs in current clinical use are cytotoxic materials, which work by killing the malignant cells faster than the normal cells.

Although an exemplary embodiment of the invention has been shown and described, many other changes, modifications and substitutions, in addition to those set forth in the above paragraphs, may be made by one having ordinary skill in the art without necessarily departing from the spirit and scope of this invention.

CLAIMS

1. An implantable, time-released substance delivery device,
comprising:
 - 5 a casing having an exterior surface;
 - a plurality of pores disposed on the exterior surface of the casing;
 - an interior chamber disposed within the casing; and
 - a plurality of excretion tubes disposed within the casing, each of
the plurality of excretion tubes fluidly connecting the interior chamber to
10 one of the plurality of pores.
2. The time-released substance delivery device as set forth in Claim 1,
wherein the casing comprises an absorbable material.
- 15 3. The time-released substance delivery device as set forth in Claim 1,
wherein the casing comprises a non-scatterable material that will not
substantially scatter incident imaging beams.
4. The time-released substance delivery device as set forth in Claim 1,
20 wherein the casing has dimensions suitable for being implanted beneath
the skin of a patient.
5. The time-released substance delivery device as set forth in Claim 1,
wherein the casing has dimensions suitable for being implanted within

an organ of a patient.

6. The time-released substance delivery device as set forth in Claim 1,
wherein the casing is formed into one of a tack and a screw.

5

7. The time-released substance delivery device as set forth in Claim 1,
wherein the casing comprises an absorbable material that is formed into
one of a tack and a screw.

10

8. The time-released substance delivery device as set forth in Claim 1,
wherein the casing is formed into a bone plate.

9. The time-released substance delivery device as set forth in Claim 1,
wherein the casing comprises an absorbable material that is formed into
a bone plate.

15

10. The time-released substance delivery device as set forth in any of Claims
1, 2, 6 and 8, wherein the interior chamber comprises a medicinal
substance.

20

11. The time-released substance delivery device as set forth in in any of
Claims 1, 2, 6 and 8, wherein the casing is impregnated with a medicinal
substance.

12. The time-released substance delivery device as set forth in any of Claims
1, 2, 6 and 8, wherein the casing comprises a perforable membrane,
which when punctured by a needle will subsequently re-seal to maintain
a fluid barrier, wherein the perforable membrane is constructed to
5 facilitate multiple penetrations by a needle therethrough and into the
interior chamber while maintaining a fluid seal after each penetration.
13. The time-released substance delivery device as set forth in Claim 12,
wherein the interior chamber comprises a medicinal substance.
- 10 14. The time-released substance delivery device as set forth in Claim 12,
and further comprising an access tube connected to and extending away
from the exterior surface of the casing.
- 15 15. The time-released substance delivery device as set forth in Claim 14,
wherein the interior chamber comprises a medicinal substance.
16. The time-released substance delivery device as set forth in any of Claims
1, 2, 6 and 8 and further comprising an access tube connected to and
20 extending away from the exterior surface of the casing.
17. The time-released substance delivery device as set forth in Claim 16,
wherein the interior chamber comprises a medicinal substance.

18. The time-released substance delivery device as set forth in Claim 16,
wherein the access tube is in fluid communication with the internal
chamber.
- 5 19. The time-released substance delivery device as set forth in Claim 18
wherein the access tube comprises a first end and a second end, the first
end being connected to the exterior surface of the casing and the second
end being located opposite the first end.
- 10 20. The time-released substance delivery device as set forth in Claim 19,
wherein the interior chamber comprises a medicinal substance.
21. The time-released substance delivery device as set forth in Claim 19,
wherein the second end of the access tube comprises a perforable
15 membrane fluidly isolating an interior of the access tube from an
exterior surface of the access tube.
22. The time-released substance delivery device as set forth in Claim 19,
wherein a distance between the first end and the second end of the access
20 tube is greater than a maximum width of the casing.

